



Hyde County

Contaminant	Number of wells tested	Minimum	Maximum	Average	Maximum Contaminant Level (MCL) * Secondary MCL	Units	Number of wells tested above MCL	Percentage of wells tested above MCL	Number of wells below MCL	Percentage of wells tested below MCL
1,2-Dibromoethane	Not Tested	0	0	0	0.05	µg/L	0	Not Tested		
1,2-Dichloropropane	Not Tested	0	0	0	5	µg/L	0	Not Tested		
Arsenic	43	0.5	9	2	10	µg/L	0	0.00%		
Barium	19	50	50	50	2,000	µg/L	0	0.00%		
Benzene	Not Tested	0	0	0	5	µg/L	0	Not Tested		
Cadmium	19	0.5	0.5	0.5	5	µg/L	0	0.00%		
Chromium	19	5	35.2	6.6	100	µg/L	0	0.00%		
cis-1,2-Dichloroethene (c-DCE)	Not Tested	0	0	0	70	µg/L	0	Not Tested		
Copper	43	25	390	38.4	1,300*	µg/L	0	0.00%		
Ethylbenzene	Not Tested	0	0	0	700	µg/L	0	Not Tested		
Fluoride	61	100	1,200.00	377.50	4,000*	µg/L	0	0.00%		
Iron	43	25	5,320.00	843.70	300*	µg/L	19	44.19%		
Isopropyl Ether	Not Tested	0	0	0	No drinking water standard	µg/L				
Lead	43	2.5	202	7.3	15	µg/L	1	2.33%		
Magnesium	43	1,700	1,700.00	1,700.00	No drinking water standard	µg/L				
Manganese	43	15	420	47.3	50*	µg/L	11	25.58%		

Contaminant	Number of wells tested	Minimum	Maximum	Average	Maximum Contaminant Level (MCL) * Secondary MCL	Units	Number of wells tested above MCL	Percentage of wells tested above MCL	Number of wells below MCL	Percentage of wells tested below MCL
Mercury	15	0.3	2.5	0.4	2	µg/L	1	6.67%		
Methyl tertiary butyl ether (MTBE)	Not Tested	0	0	0	20* (recommended taste and odor threshold)	µg/L	0	Not Tested		
Nitrate	21	500	500	500	10,000	µg/L	0	0.00%		
Nitrite	21	50	50	50	1,000	µg/L	0	0.00%		
pH	43	7	8.4	7.77	6.5-8.5*	standard units	0	0.00%	0	0.00%
Selenium	19	0.3	2.5	2.4	50	µg/L	0	0.00%		
Silver	19	25	25	25	100*	µg/L	0	0.00%		
Sodium	14	3,000	68,000.00	10,107.10	No drinking water standard	µg/L				
Tetrachloroethylene (PCE)	Not Tested	0	0	0	5	µg/L	0	Not Tested		
Toluene	Not Tested	0	0	0	1,000	µg/L	0	Not Tested		
trans-1,2-Dichloroethene (t-DCE)	Not Tested	0	0	0	100	µg/L	0	Not Tested		
Trichloroethylene (TCE)	Not Tested	0	0	0	5	µg/L	0	Not Tested		
Vinyl chloride	Not Tested	0	0	0	2	µg/L	0	Not Tested		
Xylenes (Total)	Not Tested	0	0	0	10,000	µg/L	0	Not Tested		
Zinc	43	25	220	43.8	5,000*	µg/L	0	0.00%		

* **Secondary MCL:** Secondary contaminants may cause cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor, or color) in drinking water.⁸ The **Secondary Maximum Contaminant Level (SMCL)** is a non-enforceable standard for secondary contaminants in drinking water. SMCLs may be based upon a contaminant's likelihood to cause changes to the taste, odor, or color of drinking water, or, may be based on the likelihood of the contaminant to cause technical changes such as damage to water fixtures or an increased availability of other contaminants in drinking water.⁸

Tracking and Analyzing Contaminants (TrAC) in Private Well Water in NC
UNC Superfund Research Program- Research Translation Core
Funded by an ARRA supplement from NIEHS (P42-ES005948) 2009-2011

